

Grant Kieser
ID 236 Lighting Design
Amanda Davis
Final Project
Fall 2015

SPECIFICATION SHEETS



Manufacturer: WAC Lighting
Manufacturer Number: R3LEDT118PF930BWT, HR-3LED-H18D-ICA
Tag: A

Description: Recessed 3.5" Tesla ProLED black open reflector with white trim. 55° beam, 3000K at 90 CRI, Dimmable with ELV dimmer.




Manufacturer: WAC Lighting
Manufacturer Number: LED-TE2430-1-40-WT
Tag: B

Description: InvisiLED® Pro 3 LED strip. 24v with hardwired AC adaptor. Field trimmable every 6". 3000K at 95 CRI, 394 lm/ft. Dimmable with ELV dimmer.



J System Adapter



J Track System

Manufacturer: WAC Lighting
Manufacturer Number: J-LED610S-WW-WT, JTX-WT
Tag: C

Description: Galileo LEDme® Track Luminaire. 20° beam, 3000K at 90 CRI, dimmable with ELV dimmer.



Manufacturer: WAC Lighting
Manufacturer Number: WS-W5817-GH
Tag: D

Description: Janus surface mount dweLED Outdoor light in brushed aluminum. 605 lumens, 3000K at 90 CRI, dimmable with ELV dimmer.



Manufacturer: WAC Lighting
Manufacturer Number: FM-306-930-WT
Tag: E

Description: Disc surface mount LED light in White. 865 lumens, 3000K at 90 CRI, dimmable with ELV dimmer.



Manufacturer: WAC Lighting

Manufacturer Number: WS-6724-30-AL, WS-6736-30-AL

Tag: F,G

Description:Line surface mount LED light in brushed aluminum. 1140 lumens, 3000K at 90 CRI, dimmable with ELV dimmer.



Manufacturer: WAC Lighting

Manufacturer Number:QP-LED524-XX/BN, QMP-G6RN MR

Tag: H

Description:Sarah pendant LED light in amber, light blue, and white. Quick connect base, 330 lumens, 3000K at 85 CRI, dimmable with ELV dimmer.



Manufacturer: WAC Lighting
Manufacturer Number: QP-LED538-IR/BN, QMP-G1RN MR
Tag: I

Description: Ginko pendant LED light in amber, light blue, and white. Quick connect base, 330 lumens, 3000K at 85 CRI, dimmable with ELV dimmer.



Manufacturer: Cooper Industries

Manufacturer Number:RB-WP-D-2N5-1D-120-SU

Tag: J

Description: CORELITE Class Rs Fluorescent surface mount fixture. This fixture uses 2x 48" T5 fluorescent lamps.



Manufacturer: WAC Lighting
Manufacturer Number: QP-LED512-XX/BN, QMP-G6RN MR
Tag: K

Description: Jill pendant LED light in amber, and blue. Quick connect base, 330 lumens, 3000K at 85 CRI, dimmable with ELV dimmer.



Manufacturer: IKEA

Manufacturer Number:602.806.82

Tag: L

Description:Riggad portable desk light with USB and Qi Charging. 3000K, 400 lumens.

Grant Kieser
ID 236 Lighting Design
Amanda Davis
Final Project
Fall 2015

Zinn Family Residence

Lighting Scheme

- Living room: Dimmable downlights and a narrow spot for the sculpture
- TV room: Dimmable downlights
- Kitchen: Dimmable downlights and undercabinet and toe-kick strip lighting
- Dining room: Dimmable downlights, dimmable cove lighting around the perimeter and a dimmable multi-part pendant
- Library: Dimmable downlights, under shelf lighting, display track lighting, and task lighting at the desk for study
- Bathroom: Vanity sconce is adjustable to be an uplight or downlight. Recessed can in shower
- Bedrooms: Dimmable cove lighting around the perimeter, a dimmable multi-part pendant, reading lamps on each bedstand
- Office: Flushmount dimmable T5 fluorescent

Window Treatment

- Living room, dining room, and TV room: Roman Shades and curtains near the fireplace
- Kitchen: Curtains
- Library: Blackout shades and sheer
- Bedrooms: Roman shades
- Office: Roman shades